

SAFETY DATA SHEET	Issue No: 1	Date: 10 March 2017
-------------------	-------------	---------------------

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

**PRODUCT NAME:** REMP STUDWAQY SUBER  
**PRODUCT TYPE/USE:** RUBBER SHEET/TILE FLOORING  
**EMERGENCY TEL NOS:** +39 0546 81721

**SUPPLIER:** REMP TECHNO SRL  
 Via dell'industria 11  
 48013 BRISIGHELLA (RA)  
 ITALY

**TELEPHONE:** +39 0546 81721  
**FAX:** +39 0546 85571  
**CONTACT PERSON:** Mauro Malavolti  
**MANUFACTURER:** Please contact REMP for details.

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS NO:	CONTENT	HEALTH	RISK PHRASES
Non- Hazardous				

<b>Rubber Styrene-Butadiene Copolymer.HSR Rubber-SBR Rubber</b> <i>Gomme Stirene-Butadiene-elastomeri sintetici</i> CAS N° 9003-55-8	34,50%
<b>Kaolin</b> <i>Coolino</i> CAS N° 1332-58-7	43%
<b>Silica</b> <i>Silice</i> CAS N° 7631-86-9	8,50%
<b>Anti-flame</b> <i>Antifiamma</i> $Al(OH)_3$ CAS N° 14762-49-3	5%
<b>Wax</b> <i>Cere</i> <i>Mycrocrystalline wax</i> CAS N° 63231-60-7	1,50%
<b>Activator/Accelerators</b> <i>Attivatori/Acceleranti</i> CBS CAS N° 95-33-0 ZBEC CAS N° 14726-36-4 ZnO CAS N° 1314-13-2 PEG CAS N° 25322-68-3 Stearic Acid CAS N° 57-11-4 Sulfur CAS N° 7704-34-9	5%
<b>Colors</b> <i>Colori</i>	1%
<b>Cork</b> <i>Sughero</i>	1,50%

### 3. HAZARDS IDENTIFICATION

<b>INHALATION:</b>	No risk under normal circumstances, but in a major fire rubber may burn; Oxides of Carbon may be formed.
<b>SKIN CONTACT:</b>	No risk under normal circumstances.
<b>EYE CONTACT:</b>	No risk under normal circumstances.
<b>INGESTION:</b>	No risk under normal circumstances.
<b>GENERAL COMMENTS:</b>	If oxides of carbons are formed during a fire this may cause drowsiness and headaches if person is exposed for a moderate length of time.

### 4. FIRST AID MEASURES

<b>INHALATION:</b>	If rubber flooring is ignited move the exposed personal to fresh air. If breathing is difficult or exposed person appears drowsy, properly trained personnel may assist affected person by administering 100% oxygen. Keep the affected person warm and at rest. Get prompt medical attention.
<b>SKIN CONTACT:</b>	Non-hazardous
<b>EYE CONTACT:</b>	Non-hazardous
<b>INGESTION:</b>	If flooring stuck in throat remove by any means possible. Seek medical attention immediately if choking persists.

### 5. FIRE FIGHTING MEASURES

<b>EXTINGUISHING MEDIA:</b>	Water spray, fog or mist. Foam. Carbon dioxide (CO2).
<b>SPECIAL FIRE FIGHTING PROCEDURES:</b>	Self extinguishing but will burn in the presence of flames. Oxides of carbon may be formed, use protection mask.
<b>UNUSUAL FIRE &amp; EXPLOSION HAZARDS:</b>	None
<b>HAZARDOUS COMBUSTION PRODUCTS:</b>	Fire creates: Oxides of carbon.

### 6. ACCIDENTAL RELEASE MEASURES

<b>STEPS TO BE TAKEN IF PRODUCT IS RELEASED OR SPILT:</b>	Not Applicable
---	----------------

### 7. HANDLING AND STORAGE

<b>USAGE PRECAUTIONS:</b>	No special precautions are required. Normal safe handling practices must be employed. Ensure all handling is carried out according to the Kinetic method of lifting.
<b>STORAGE PRECAUTIONS:</b>	Rolls of material should be stored in the vertical position and must be restrained using a safety chain or rope. Store in a clean, dry area. Full rolls weigh in excess of 100Kg.
<b>STORAGE CRITERIA</b>	Non Hazardous material storage

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>VENTILATION:</b>	Not applicable
<b>RESPIRATORS:</b>	Not applicable
<b>PROTECTION GLOVES:</b>	Not applicable

<b>SAFETY DATA SHEET</b>	Issue No: 1	Date: 10 March 2017
--------------------------	-------------	---------------------

**EYE PROTECTION:** Not applicable  
**OTHER PROTECTION:** Not applicable  
**HYGENIC WORK PRACTICES:** Maintain the flooring as recommended by Altro.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Sheet/Tiles.  
**COLOUR:** Various  
**ODOUR/TASTE:** Typical - low odour  
**VISCOSITY:** Solid  
**OTHER PHYSICAL DATA:** Weight between 3.3 and 10.7 Kg/m<sup>2</sup> depending on thickness.

#### 10. STABILITY AND REACTIVITY

**STABILITY:** Stable. Avoid: Flame contact  
**MATERIALS TO AVOID:** Aromatic solvents  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Toxic gases/vapours/fumes of: Oxides of carbon.

#### 11. TOXICOLOGICAL INFORMATION

##### 11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

**OTHER HEALTH EFFECTS:** None.  
**HEALTH WARNINGS:** Can cause drowsiness and headaches from the Oxides of Carbon that may be formed when rubber flooring is burning.  
**ROUTE OF ENTRY:** Inhalation.  
**TARGET ORGANS:** Central nervous system.  
**MEDICAL SYMPTOMS:** Drowsiness and headaches.

#### 12. ECOLOGICAL INFORMATION

**BIO ACCUMULATION:** Very low potential for bioaccumulation.  
**DEGRADABILITY:** Very slowly biodegradable.  
**ACUTE FISH TOXICITY:** Not toxic to aquatic organisms.

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Landfill in accordance with local regulations.

#### 14. TRANSPORT INFORMATION

**LABEL FOR CONVEYANCE:** None required

#### 15. REGULATORY INFORMATION

**LABEL FOR SUPPLY:** None required.  
**RISK PHRASES:** Not applicable.  
**SAFETY PHRASES:** Not applicable.

#### 16. OTHER INFORMATION

**GENERAL INFORMATION** Joints to be perfectly closed and waterproofed using a polyurethane resin based adhesive.  
**REVISION DATE:** 26/09/2013  
**SDS INITIALLY GENERATED:** 26/09/2013

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.